

Literatur

Exner M, Döhla M, Schmithausen RM, Pleischl S, Koch C, Exner D. Hygienisch-mikrobiologische Risiken sowie Präventions- und Kontrollstrategien in der Trinkwasserversorgung und Abwasserentsorgung im Krankenhaus. Hyg Med 2020; 45(1-2): D1-D12

■ Literatur

- Shaw PK, Brodsky RE, Lyman DO, Wood BT, Hibler CP, Healy GR et al. A communitywide outbreak of giardiasis with evidence of transmission by a municipal water supply. *Ann Intern Med.* 1977 Oct;87(4):426–432.
- Mentzing LO. Waterborne outbreaks of campylobacter enteritis in central Sweden. *Lancet.* 1981 Aug 15;2(8242):352–354.
- Zamotin BA, Libiainin LT, Bortnik FL, Chernitskaia EP, Enina ZI. [Water-borne outbreaks of rotavirus infections]. *Zh Mikrobiol Epidemiol Immunobiol.* 1981 Nov(11):100–102.
- Kaplan JE, Goodman RA, Schonberger LB, Lippy EC, Gary GW. Gastroenteritis due to Norwalk virus: an outbreak associated with a municipal water system. *J Infect Dis.* 1982 Aug;146(2):190–197.
- Hopkins RS, Gaspard GB, Williams FP, Jr., Karlin RJ, Cukor G, Blacklow NR. A community waterborne gastroenteritis outbreak: evidence for rotavirus as the agent. *Am J Public Health.* 1984 Mar;74(3):263–265.
- D'Antonio RG, Winn RE, Taylor JP, Gustafson TL, Current WL, Rhodes MM, et al. A waterborne outbreak of cryptosporidiosis in normal hosts. *Ann Intern Med.* 1985 Dec;103(6 (Pt 1)):886–8.
- Exner M, Schulze-Robbecke R. [The Legionellas-epidemiology, ecology, sources of infection and preventive measures]. *Offentl Gesundheitswes.* 1987 Feb;49(2):90–96.
- Wallace RJ, Jr. Nontuberculous mycobacteria and water: a love affair with increasing clinical importance. *Infect Dis Clin North Am.* 1987 Sep;1(3):677–686.
- Hayes EB, Matte TD, O'Brien TR, McKinley TW, Logsdon GS, Rose JB, et al. Large community outbreak of cryptosporidiosis due to contamination of a filtered public water supply. *N Engl J Med.* 1989 May 25;320(21):1372–6.
- Exner M, Gornik V. [Cryptosporidiosis. Characterization of a new infection with special regard to water as the source of infection]. *Zentralbl Hyg Umweltmed.* 1990 May;190(1-2):13–25.
- Levine WC, Stephenson WT, Craun GF. Waterborne disease outbreaks, 1986–1988. *MMWR CDC Surveill Summ.* 1990 Mar;39(1):1–13.
- Exner M, Gornik V. [Cryptosporidiosis – characterization of new infection with special reference to water as a source of infection]. *Offentl Gesundheitswes.* 1991 Jun;53(6):309–310.
- Exner M, Tuschewitzki GJ. Aktuelle hygienisch-mikrobiologische Aspekte der Trinkwasserhygiene *Forum Städtehygiene.* 1994 57 - 63; 45.
- Exner M, Tuschewitzki, G.J. Zum Vorkommen und Bewertung von Krankheitserregern und Indikatorbakterien im Rohwasser und Trinkwasser der Aufbereitungsanlage Roetgen sowie zu Kontroll- und Präventionsmaßnahmen zur Sicherstellung einer hygienisch einwandfreien Trinkwasserqualität *In press* 1994.
- MacKenzie WR, Schell WL, Blair KA, Addiss DG, Peterson DE, Hoxie NJ, et al. Massive outbreak of waterborne cryptosporidium infection in Milwaukee, Wisconsin: recurrence of illness and risk of secondary transmission. *Clin Infect Dis.* 1995 Jul;21(1):57–62.
- Kramer MH, Herwaldt BL, Craun GF, Calderon RL, Juranek DD. Surveillance for waterborne-disease outbreaks - United States, 1993-1994. *MMWR CDC Surveill Summ.* 1996 Apr 12;45(1):1–33.
- Exner M. Drinking water hygiene in the 21st. century – what can be done? *Schriftenr Ver Wasser Boden Lufthyg.* 2000;108:125–143.
- Kistemann T, Herbst S, Dangendorf F, Exner M. GIS-based analysis of drinking-water supply structures: a module for microbial risk assessment. *Int J Hyg Environ Health.* 2001 May;203(4):301–310.
- Kramer MH, Quade G, Hartemann P, Exner M. Waterborne diseases in Europe: 1986–1996. *Am. Water Work. Assoc.* 2001, 93, 48–53.
- Anaissie EJ, Penzak SR, Dignani MC. The hospital water supply as a source of nosocomial infections: a plea for action. *Arch Intern Med.* 2002 Jul 8;162(13):1483–92.
- Boccia D, Tozzi AE, Cotter B, Rizzo C, Russo T, Buttinelli G et al. Waterborne outbreak of Norwalk-like virus gastroenteritis at a tourist resort, Italy. *Emerg Infect Dis.* 2002 Jun;8(6):563–8.
- Kistemann T, Classen T, Koch C, Dangendorf F, Fischeder R, Gebel J et al. Microbial load of drinking water reservoir tributaries during extreme rainfall and runoff. *Appl Environ Microbiol.* 2002 May;68(5):2188–97.
- Holme R. Drinking water contamination in Walkerton, Ontario: positive resolutions from a tragic event. *Water Sci Technol.* 2003;47(3):1–6.
- Hrudey SE, Payment P, Huck PM, Gillham RW, Hrudey EJ. A fatal waterborne disease epidemic in Walkerton, Ontario: comparison with other waterborne outbreaks in the developed world. *Water Sci Technol.* 2003;47(3):7–14.
- Karita M, Teramukai S, Matsumoto S. Risk of *Helicobacter pylori* transmission from drinking well water is higher than that from infected intrafamilial members in Japan. *Dig Dis Sci.* 2003 Jun;48(6):1062–7.
- Kistemann T, Claßen T, Exner M. Der erste Giardiasis Ausbruch durch Trinkwasser in Deutschland. *bbr Fachmagazin für Brunnen und Leitungsbau.* 2003:40–46.
- Exner M, Gornik V. [Parasitic zoonoses transmitted by drinking water. Giar-

- diasis and cryptosporidiosis]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2004 Jul;47(7):698–704.
28. Maunula L, Miettinen IT, von Bonsdorff CH. Norovirus outbreaks from drinking water. *Emerg Infect Dis*. 2005 Nov;11(11):1716–21.
 29. Vaerewijck MJ, Huys G, Palomino JC, Swings J, Portaels F. *Mycobacteria* in drinking water distribution systems: ecology and significance for human health. *FEMS Microbiol Rev*. 2005 Nov;29(5):911–934.
 30. Exner M, Kramer A, Kistemann T, Gebel J, Engelhart S. [Water as a reservoir for nosocomial infections in health care facilities, prevention and control]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2007 Mar;50(3):302–311.
 31. Hota S, Hirji Z, Stockton K, Lemieux C, Dedier H, Wolfaardt G et al. Outbreak of multidrug-resistant *Pseudomonas aeruginosa* colonization and infection secondary to imperfect intensive care unit room design. *Infect Control Hosp Epidemiol*. 2009 Jan;30(1):25–33.
 32. Mena KD, Gerba CP. Waterborne adenovirus. *Rev Environ Contam Toxicol*. 2009;198:133–167.
 33. Nichols G, Lane C, Asgari N, Verlander NQ, Charlett A. Rainfall and outbreaks of drinking water related disease and in England and Wales. *J Water Health*. 2009 Mar;7(1):1–8.
 34. Trautmann M, Halder S, Lepper PM, Exner M. [Reservoirs of *Pseudomonas aeruginosa* in the intensive care unit. The role of tap water as a source of infection]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2009 Mar;52(3):339–344.
 35. Werber D, Lausevic D, Mugosa B, Vratnica Z, Ivanovic-Nikolic L, Zizic L et al. Massive outbreak of viral gastroenteritis associated with consumption of municipal drinking water in a European capital city. *Epidemiol Infect*. 2009 Dec;137(12):1713–20.
 36. Exner M, Koch C. Strategien zur Kontrolle mikrobiologischer Risiken in Roh- und Trinkwasser. *Umweltmed Forsch Prax* 2011;16:40–56.
 37. Exner M, Koch C, Gebel J. Relevante wasserassoziierte Krankheitserreger sowie Indikatoren und deren hygienisch-medizinische Bedeutung. *Umweltmed Forsch Prax*. 2011;16(3):141–160.
 38. Riera-Montes M, Brus Sjolander K, Allestam G, Hallin E, Hedlund KO, Lofdahl M. Waterborne norovirus outbreak in a municipal drinking-water supply in Sweden. *Epidemiol Infect*. 2011 Dec;139(12):1928–35.
 39. Walsh TR, Weeks J, Livermore DM, Toleman MA. Dissemination of NDM-1 positive bacteria in the New Delhi environment and its implications for human health: an environmental point prevalence study. *Lancet Infect Dis*. 2011 May;11(5):355–62.
 40. van der Wielen PW, van der Kooij D. Nontuberculous mycobacteria, fungi, and opportunistic pathogens in unchlorinated drinking water in The Netherlands. *Appl Environ Microbiol*. 2012 Feb;79(3):825–834.
 41. WHO. Water Safety in Distribution Systems. http://www.who.int/water_sanitation_health/publications/Water_safety_distribution_systems_2014v1.pdf. 2014.
 42. Exner M. Ausbruchmanagement des Legionellenausbruches in Warstein 2013 – Charakterisierung, Lehren und Konsequenzen aus hygienisch-medizinischer Sicht. 2015. https://www.umwelt.nrw.de/fileadmin/redaktion/PDFs/umwelt/legionellen_warstein_ausbruchmanagement.pdf
 43. Exner M, Nissing W, Behringer K, Engelhart S, Pleischl S, Koch C, Trautmann M, Kramer A, Walger P, Martiny H, Jatzwauk L. Empfehlung der DGKH - Gesundheitliche Bedeutung, Prävention und Kontrolle Wasser-assoziiertes *Pseudomonas aeruginosa*- Infektionen. *Hygiene & Medizin* 2016;41(Suppl. 2):1–32.
 44. Li T, Abebe LS, Cronk R, Bartram J. A systematic review of waterborne infections from nontuberculous mycobacteria in health care facility water systems. *Int J Hyg Environ Health*. 2016 May;220(3):611–620.
 45. Sommerstein R, Ruegg C, Kohler P, Bloemberg G, Kuster SP, Sax H. Transmission of *Mycobacterium chimaera* from Heater-Cooler Units during Cardiac Surgery despite an Ultraclean Air Ventilation System. *Emerg Infect Dis*. 2016 Jun;22(6):1008–13.
 46. WHO. Quantitative microbial risk assessment: application for water safety management. <http://apps.who.int/iris/bitstream/handle/10665/246195/9789241565370-eng.pdf;jsessionid=F7A2535F484FA1FE3419C5E97D2AA4B4?sequence=1>. 2016.
 47. Exner M, W. Nissing. Wie sicher ist unser Trinkwasser aus krankenhaushygienischer Sicht? *Hyg Med*. 2017;42:123–125.
 48. Fischnaller E, Schön, A. Störfallmanagement bei coliformen Bakterien im Trinkwassersystem – Ursachenfindung und Schadensbegrenzung (Fallstudie) *HygMed*. 2017;42(7):D92–D7.
 49. Gargano JW, Adam EA, Collier SA, Fullerton KE, Feinman SJ, Beach MJ. Mortality from selected diseases that can be transmitted by water – United States, 2003–2009. *J Water Health*. 2017 Jun;15(3):438–450.
 50. van Ingen J, Kohl TA, Kranzer K, Hasse B, Keller PM, Katarzyna Szafranska A, et al. Global outbreak of severe *Mycobacterium chimaera* disease after cardiac surgery: a molecular epidemiological study. *Lancet Infect Dis*. 2017 Jul 12.
 51. Kämpfer P. *Lelliottia aquatilis* sp. nov., isolated from drinking water. *Int J Syst Evol Microbiol*. 2018.
 52. Müller H, Sib E, Gajdiss M, Klanke U, Lenz-Plet F, Barabasch V, et al. Dissemination of multi-resistant Gram-negative bacteria into German wastewater and surface waters. *FEMS Microbiol Ecol*. 2018 May 1;94(5). DOI: <https://doi.org/10.1093/femsec/fiy057>
 53. Doring G, Ulrich M, Muller W, Bitzer J, Schmidt-Koenig L, Munst L, et al. Generation of *Pseudomonas aeruginosa* aerosols during handwashing from contaminated sink drains, transmission to hands of hospital personnel, and its prevention by use of a new heating device. *Zentralbl Hyg Umweltmed*. 1991 May;191(5-6):494–505.
 54. Verweij PE, Meis JF, Christmann V, Van der Bor M, Melchers WJ, Hilderink BG, et al. Nosocomial outbreak of colonization and infection with *Stenotrophomonas maltophilia* in preterm infants associated with contaminated tap water. *Epidemiol Infect*. 1998 Jun;120(3):251–256.
 55. Feuerpfeil I, López-Pila J, Schmidt R, Schneider E, Szewzyk R. Antibiotikaresistente Bakterien und Antibiotika in der Umwelt. *Bundesgesundheitsbl*. 1999;32:37–50
 56. Pitten FA, Panzig B, Schroder G, Tietze K, Kramer A. Transmission of a multiresistant *Pseudomonas aeruginosa* strain at a German University Hospital. *J Hosp Infect*. 2001 Feb;47(2):125–130.
 57. Engelhart S, Saborowski F, Krakau M, Scherholz-Schlösser G, Heyer I, Exner M. Severe *Serratia liquefaciens* sepsis following vitamin C infusion treatment by a naturopathic practitioner. *J Clin Microbiol*. 2003 Aug;41(8):3986–8.
 58. Schwartz T, Kohnen W, Jansen B, Obst U. Detection of antibiotic-resistant bac-

- teria and their resistance genes in wastewater, surface water, and drinking water biofilms. *FEMS Microbiol Ecol.* 2003 Apr 1;43(3):325–335.
59. Sissoko B, Sütterlin R, Blaschke M, Stefaniak S, Daeschlein G, Kramer A. Emission von Bakterien aus Geruchsverschlüssen. *Hyg Med* 2005;30(4):72–76.
 60. La Forgia C, Franke J, Hacek DM, Thomson RB, Jr., Robicsek A, Peterson LR. Management of a multidrug-resistant *Acinetobacter baumannii* outbreak in an intensive care unit using novel environmental disinfection: a 38-month report. *Am J Infect Control.* 2009 May;38(4):259–263.
 61. Schreiber C. The spread of bacterial antibiotic resistance in the aquatic environment. *Water & Risk.* 2011;18:8–10.
 62. KRINKO. Hygienemaßnahmen bei Infektionen oder Besiedlung mit multiresistenten gramnegativen Stäbchen. *Bundesgesundheitsbl* 2012;55:1311–54.
 63. Zhang C, Qiu S, Wang Y, Qi L, Hao R, Liu X, et al. Higher isolation of NDM-1 producing *Acinetobacter baumannii* from the sewage of the hospitals in Beijing. *PLoS One.* 2013;8(6):e64857.
 64. Vaz-Moreira I, Nunes OC, Manaia CM. Bacterial diversity and antibiotic resistance in water habitats: searching the links with the human microbiome. *FEMS Microbiol Rev.* 2014 Jul;38(4):761–778.
 65. Alexander J, Bollmann A, Seitz W, Schwartz T. Microbiological characterization of aquatic microbiomes targeting taxonomical marker genes and antibiotic resistance genes of opportunistic bacteria. *Sci Total Environ.* 2015 Apr 15;512-513:316–325.
 66. Ambrogi V, Cavalie L, Manton B, Ghiglia MJ, Cointault O, Dubois D, et al. Transmission of metallo-beta-lactamase-producing *Pseudomonas aeruginosa* in a nephrology-transplant intensive care unit with potential link to the environment. *J Hosp Infect.* 2015 Jan;92(1):27–29.
 67. Berendonk TU, Manaia CM, Merlin C, Fatta-Kassinos D, Cytryn E, Walsh F, et al. Tackling antibiotic resistance: the environmental framework. *Nat Rev Microbiol.* 2015 May;13(5):310–317.
 68. Bloomfield S, Exner M, Flemming HC, Goroncy-Bermes P, Hartemann P, Heeg P, et al. Lesser-known or hidden reservoirs of infection and implications for adequate prevention strategies: Where to look and what to look for. *GMS Hyg Infect Control.* 2015;10:Doc04.
 69. Carstens A. Ausbruch von KPC-2 produzierenden multiresistenten bakterien in einer Klinik in Südhessen – Ausbruchmanagement und Rolle des öffentlichen Gesundheitsamtes Hessisches Ärzteblatt. 2015(4):196–198.
 70. Exner M, Schwartz, T. RiSKWa-Statuspapier Bewertungskonzepte der Mikrobiologie mit den Schwerpunkten neue Krankheitserreger und Antibiotikaresistenzen Ergebnisse des Querschnittsthemas „Bewertungskonzepte der Mikrobiologie“. e.V. D, editor. Frankfurt am Main; 2015.
 71. Clarivet B, Grau D, Jumas-Bilak E, Jean-Pierre H, Pantel A, Parer S, et al. Persisting transmission of carbapenemase-producing *Klebsiella pneumoniae* due to an environmental reservoir in a university hospital, France, 2012 to 2014. *Euro Surveill.* 2016 Apr 28;21(17).
 72. Garvey MI, Bradley CW, Tracey J, Oppenheim B. Continued transmission of *Pseudomonas aeruginosa* from a wash hand basin tap in a critical care unit. *J Hosp Infect.* 2016 Sep;94(1):8–12.
 73. Salm F, Deja M, Gastmeier P, Kola A, Hansen S, Behnke M, et al. Prolonged outbreak of clonal MDR *Pseudomonas aeruginosa* on an intensive care unit: contaminated sinks and contamination of ultra-filtrate bags as possible route of transmission? *Antimicrob Resist Infect Control.* 2016;5:53.
 74. Wendel AF, Ressina S, Kolbe-Busch S, Pfeffer K, MacKenzie CR. Species Diversity of Environmental GIM-1-Producing Bacteria Collected during a Long-Term Outbreak. *Appl Environ Microbiol.* 2016 Jun 15;82(12):3605–10.
 75. Amoureux L, Riedweg K, Chapuis A, Bador J, Siebor E, Pechinot A, et al. Nosocomial Infections with IMP-19-Producing *Pseudomonas aeruginosa* Linked to Contaminated Sinks, France. *Emerg Infect Dis.* 2017 Feb;23(2):304–307.
 76. Garvey MI, Bradley CW, Holden E. Waterborne *Pseudomonas aeruginosa* transmission in a hematology unit? *Am J Infect Control.* 2017 Apr;46(4):383–386.
 77. Hopman J, Tostmann A, Wertheim H, Bos M, Kolwijck E, Akkermans R, et al. Reduced rate of intensive care unit acquired gram-negative bacilli after removal of sinks and introduction of 'water-free' patient care. *Antimicrob Resist Infect Control.* 2017;6:59.
 78. Kizny Gordon AE, Mathers AJ, Cheong EYL, Gottlieb T, Kotay S, Walker S, Peto TEA et al. The Hospital Water Environment as a Reservoir for Carbapenem-Resistant Organisms Causing Hospital-Acquired Infections—A Systematic Review of the Literature. *Clinical Infectious Diseases* 2017;64(10):1435–44.
 79. Kossow A, Kampmeier S, Willems S, Berdel WE, Groll AH, Burckhardt B, et al. Control of Multidrug-Resistant *Pseudomonas aeruginosa* in Allogeneic Hematopoietic Stem Cell Transplant Recipients by a Novel Bundle Including Remodeling of Sanitary and Water Supply Systems. *Clin Infect Dis.* 2017 Sep 15;65(6):935–942.
 80. Mahon BM, Brehony C, McGrath E, Killeen J, Cormican M, Hickey P, et al. Indistinguishable NDM-producing *Escherichia coli* isolated from recreational waters, sewage, and a clinical specimen in Ireland, 2016 to 2017. *Euro Surveill.* 2017 Apr 13;22(15).
 81. Parvez S, Khan AU. Hospital sewage water: a reservoir for variants of New Delhi metallo-beta-lactamase (NDM)- and extended-spectrum beta-lactamase (ESBL)-producing *Enterobacteriaceae*. *Int J Antimicrob Agents.* 2017 Jan;51(1):82–88.
 82. Wang CH, Li JF, Huang LY, Lin FM, Yang YS, Siu LK, et al. Outbreak of imipenem-resistant *Acinetobacter baumannii* in different wards at a regional hospital related to untrained bedside caregivers. *Am J Infect Control.* 2017 Oct 1;45(10):1086–90.
 83. Bengtsson-Palme J, Kristiansson E, Larsson DGJ. Environmental factors influencing the development and spread of antibiotic resistance. *FEMS Microbiol Rev.* 2018 Jan 1;42(1).
 84. Exner M, Schmithausen R, Schreiber C, Bierbaum G, Parcina M, Engelhart S, Kistemann T, Sib E, Walger P, Schwartz T. Zum Vorkommen und zur vorläufigen hygienisch-medizinischen Bewertung von Antibiotika-resistenten Bakterien mit humanmedizinischer Bedeutung in Gewässern, Abwässern, Badgewässern sowie zu möglichen Konsequenzen für die Trinkwasserversorgung. *Hyg Med* 2018;43:D46–D54.
 85. Laurens C, Jean-Pierre H, Licznar-Fajardo P, Hantova S, Godreuil S, Martinez O, et al. Transmission of IMI-2 carbapenemase-producing *Enterobacteriaceae* from river water to human. *J Glob Antimicrob Resist.* 2018 Jul 6;15:88–92.
 86. Müller H, Sib E, Gajdiss M, Klanke U, Lenz-Plet F, Barabasch V, Albert C, Schallenberg A, Timm C, Zacharias N, Schmithausen RM, Engelhart S, Exner M, Parcina M, Schreiber C, Bierbaum B. Dissemination of multi-resistant

- Gram-negative bacteria into German wastewater and surface waters. *FEMS Microbiology Ecology*. 2018;94 (doi: 10.1093/femsec/fiy057).
87. Parvez S, Khan AU. Hospital sewage water: a reservoir for variants of New Delhi metallo-beta-lactamase (NDM)- and extended-spectrum beta-lactamase (ESBL)-producing *Enterobacteriaceae*. *Int J Antimicrob Agents*. 2018 Jan;51(1):82-8.
 88. Shaw E, Gavalda L, Camara J, Gasull R, Gallego S, Tubau F, et al. Control of endemic multidrug-resistant Gram-negative bacteria after removal of sinks and implementing a new water-safe policy in an intensive care unit. *J Hosp Infect*. 2018 Mar;98(3):275–281.
 89. Weingarten RA, Johnson RC, Conlan S, Ramsburg AM, Dekker JP, Lau AF, et al. Genomic Analysis of Hospital Plumbing Reveals Diverse Reservoir of Bacterial Plasmids Conferring Carbapenem Resistance. *MBio*. 2018 Feb 6;9(1).
 90. Westphal-Settele K, Konradi S, Balzer F, Schönfeld J, Schmithausen R. Die Umwelt als Reservoir für Antibiotikaresistenzen – Ein wachsendes Problem für die öffentliche Gesundheit? *Bundesgesundheitsbl.* (2018) 61: 533. (<https://doi.org/10.1007/s00103-018-2729-8>)
 91. Aranega-Bou P, George RP, Verlander NQ, Paton S, Bennett A, Moore G. Carbapenem-resistant *Enterobacteriaceae* dispersal from sinks is linked to drain position and drainage rates in a laboratory model system. *J Hosp Infect*. 2019 May;102(1):63–69.
 92. de Jonge E, de Boer MGJ, van Essen EHR, Dogterom-Ballering HCM, Veldkamp KE. Effects of a disinfection device on colonization of sink drains and patients during a prolonged outbreak of multidrug-resistant *Pseudomonas aeruginosa* in an intensive care unit. *J Hosp Infect*. 2019 Jan 9.
 93. Hopman J, Meijer C, Kenters N, Coolen JPM, Ghamati MR, Mehtar S, et al. Risk Assessment After a Severe Hospital-Acquired Infection Associated With Carbapenemase-Producing *Pseudomonas aeruginosa*. *JAMA Netw Open*. 2019 Feb 1;2(2):e187665.
 94. Paulus GK, Hornstra LM, Alygizakis N, Slobodnik J, Thomaidis N, Medema G. The impact of on-site hospital wastewater treatment on the downstream communal wastewater system in terms of antibiotics and antibiotic resistance genes. *Int J Hyg Environ Health*. 2019 May;222(4):635–644.
 95. Ross B, Krull M, Rath P, Kribben A, Dopadlik D, Erlemann I. et al. Dialysis drains as a possible source for carbapenem-resistant pathogens causing an ICU outbreak. *Infection*. 2019 Apr;47(2):233–238.
 96. Sib E, Voigt AM, Wilbring G, Schreiber C, Faerber HA, Skutlarek D, et al. Antibiotic resistant bacteria and resistance genes in biofilms in clinical wastewater networks. *Int J Hyg Environ Health*. 2019 Mar 21. DOI: <https://doi.org/10.1016/j.ijheh.2019.03.006>
 97. Tanner WD, VanDerslice JA, Goel RK, Leecaster MK, Fisher MA, Olstadt J, et al. Multi-state study of *Enterobacteriaceae* harboring extended-spectrum beta-lactamase and carbapenemase genes in U.S. drinking water. *Sci Rep*. 2019 Mar 8;9(1):3938.
 98. Voigt AM, Faerber HA, Wilbring G, Skutlarek D, Felder C, Mahn R, et al. The occurrence of antimicrobial substances in toilet, sink and shower drainpipes of clinical units: A neglected source of antibiotic residues. *Int J Hyg Environ Health*. 2019 Apr;222(3):455–67. DOI: <https://doi.org/10.1016/j.ijheh.2018.12.013>
 99. Mills MC, Lee J. The threat of carbapenem-resistant bacteria in the environment: Evidence of widespread contamination of reservoirs at a global scale. *Environ Pollut*. 2019 Sep 9;255(Pt 1):113143.
 100. Carstens A, Kepper U, Exne, M, Hauri A, Kaase M, Wendt, C. Plasmid-vermittelter Multispezies-Ausbruch mit Carbapenem-resistenten *Enterobacteriaceae*. *Epidemiologisches Bulletin*. 2014(47):455–459.
 101. Exner M. Die Entdeckung der Cholera-Ätiologie durch Robert Koch 1883/84. *Hyg Med*. 2009;34(4):54–63.
 102. Exner M, Döhla M., Koch K. Verbreitung von Krankheitserregern über den Wasserpfad. In: Pinnekamp J, editor. 52 Essener Tagung für Wasserwirtschaft „Wasser und Gesundheit“ Aachen: Gesellschaft zur Förderung des Instituts für Siedlungswasserwirtschaft an der RWTH Aachene.V.; 2019. S. 1/1 – 1/15
 103. Paruch L, Paruch AM, Sørheim R. DNA-based faecal source tracking of contaminated drinking water causing a large *Campylobacter* outbreak in Norway 2019. *International Journal of Hygiene and Environmental Health*. 2019.
 104. Mac Kenzie WR, Hoxie NJ, Proctor ME, Gradus MS, Blair KA, Peterson DE, et al. A massive outbreak in Milwaukee of cryptosporidium infection transmitted through the public water supply. *N Engl J Med*. 1994 Jul 21;331(3):161–167.
 105. WHO. Water Safety Plan Manual Step-by-step risk management for drinking-water suppliers. World Health organization, Geneva 2009.
 106. WHO. Quantitative microbial risk assessment: application for water safety management. <https://apps.who.int/iris/bitstream/handle/10665/246195/9789241565370-eng.pdf>
 107. WHO. Guidelines for Drinking water Quality. 2017. <http://apps.who.int/iris/bitstream/10665/254637/1/9789241549950-eng.pdf>
 108. UBA. Vorgehen zur quantitativen Risikobewertung mikrobiologischer Befunde im Rohwasser sowie Konsequenzen für den Schutz des Einzugsgebietes und für die Wasseraufbereitung- Empfehlung des Umweltbundesamtes nach Anhörung der Trinkwasserkommission Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2014;57 1224–30.
 109. Auld H, MacIver D, Klaassen J. Heavy rainfall and waterborne disease outbreaks: the Walkerton example. *J Toxicol Environ Health A*. 2004 Oct 22-Nov 26;67(20-22):1879–87.
 110. Balbus JM, Embrey MA. Risk factors for waterborne enteric infections. *Curr Opin Gastroenterol*. 2002 Jan;18(1):46–50.
 111. Cann KF, Thomas DR, Salmon RL, Wyn-Jones AP, Kay D. Extreme water-related weather events and waterborne disease. *Epidemiol Infect*. 2013 Apr;141(4):671–686.
 112. Charron D, Thomas M, Waltner-Toews D, Aramini J, Edge T, Kent R, et al. Vulnerability of waterborne diseases to climate change in Canada: a review. *J Toxicol Environ Health A*. 2004 Oct 22-Nov 26;67(20-22):1667–77.
 113. Curriero FC, Patz JA, Rose JB, Lele S. The association between extreme precipitation and waterborne disease outbreaks in the United States, 1948–1994. *Am J Public Health*. 2001 Aug;91(8):1194–9.
 114. Drayna P, McLellan SL, Simpson P. et al. Association between Rainfall and Pediatric Emergency Department Visits for Acute Gastrointestinal Illness *Environmental Health Perspectives* 2010;118:1439–43.
 115. Rickert B, van den Berg H, Bekure K, Girma S, de Roda Husman AM. In-

- cluding aspects of climate change into water safety planning: Literature review of global experience and case studies from Ethiopian urban supplies. *Int J Hyg Environ Health*. 2019 Jun;222(5):744-55.
116. Osmanovic E, Engelfried M. Erhöhte Temperaturen in Trinkwasser-Versorgungssystemen – Ursachen und Gegenmaßnahmen. *energie wasser-praxis* 2018(9):58–63.
 117. Hunter PR. Climate change and waterborne and vector-borne disease. *J Appl Microbiol*. 2003;94 Suppl:37S–46S.
 118. Borchers U, Lange B. Hygienische Probleme in Trinkwassernetzen und deren Ursache Energie Wasser praxis. 2019;11:66–69.
 119. Flemming HC. The perfect slime. *Colloids Surf B Biointerfaces*. 2011 Sep 1;86(2):251–259.
 120. Haussler S. Biofilm formation by the small colony variant phenotype of *Pseudomonas aeruginosa*. *Environ Microbiol*. 2004 Jun;6(6):546–551.
 121. Moore G, Stevenson D, Thompson KA, Parks S, Ngabo D, Bennett AM, et al. Biofilm formation in an experimental water distribution system: the contamination of non-touch sensor taps and the implication for healthcare. *Biofouling*. 2016;31(9-10):677–687.
 122. Wingender J, Flemming HC. Contamination potential of drinking water distribution network biofilms. *Water Sci Technol*. 2004;49(11-12):277–286.
 123. Wingender J, Flemming HC. Biofilms in drinking water and their role as reservoir for pathogens. *Int J Hyg Environ Health*. 2011 Nov;214(6):417–423.
 124. Dwidjosiswojo Z, Richard J, Moritz MM, Dopp E, Flemming HC, Wingender J. Influence of copper ions on the viability and cytotoxicity of *Pseudomonas aeruginosa* under conditions relevant to drinking water environments. *Int J Hyg Environ Health*. 2012 Nov;214(6):485–492.
 125. Kotila SM, Pitkanen T, Brazier J, Eerola E, Jalava J, Kuusi M, et al. *Clostridium difficile* contamination of public tap water distribution system during a waterborne outbreak in Finland. *Scand J Public Health*. 2013 Jul;41(5):541–545.
 126. CDC. editor. Antibiotic Resistance Threats in the United States. Atlanta, GA: U.S. Department of Health and Human Services, CDC; 2019.
 127. Greenberg D. *Stenotrophomonas maltophilia* and *Burkholderia cepacia* Complex. In: Bennett AM, Dolin, R., Blaser, M.J., editor. Principles and Practice of Infectious Diseases ninth ed. Philadelphia: Elsevier; 2020.
 128. Steinberg JP, Lutgring JD, Burd EM. Other Gram-negative and Gram-variable bacilli. In: Bennett AM, Dolin, R, Blaser MJ, editor. Principles and Practice of Infectious Diseases. ninth ed. Philadelphia: Elsevier; 2020.
 129. Bundesgesundheitsamt. Empfehlungen des Bundesgesundheitsamtes zur Verminderung eines *Legionella*-Infektionsrisikos Bundesgesundheitsblatt Gesundheitsforschung Gesundheitschutz. 1987;30:252–253.
 130. Engelhart S, Wolf D, Abels S, Exner M. Toiletten als Reservoir für 4-fach resistente *P. aeruginosa*. *Hyg Med* 2014;39, Suppl. :13.
 131. Leitner E, Zarfel G, Luxner J, Herzog K, Pekard-Amenitsch S, Hoenigl M, et al. Contaminated handwashing sinks as the source of a clonal outbreak of KPC-2-producing *Klebsiella oxytoca* on a hematology ward. *Antimicrob Agents Chemother*. 2014 Jan;59(1):714–716.
 132. Parkes LO, Hota SS. Sink-Related Outbreaks and Mitigation Strategies in Healthcare Facilities. *Curr Infect Dis Rep*. 2018 Aug 20;20(10):42.
 133. Collier SA, Stockman LJ, Hicks LA, Garrison LE, Zhou FJ, Beach MJ. Direct healthcare costs of selected diseases primarily or partially transmitted by water. *Epidemiol Infect*. 2012 Nov;140(11):2003–13.
 134. Adam EA, Collier SA, Fullerton KE, Gargano JW, Beach MJ. Prevalence and direct costs of emergency department visits and hospitalizations for selected diseases that can be transmitted by water, United States. *J Water Health*. 2017 Oct;15(5):673-83.
 135. RKI. Infektionsepidemiologisches Jahrbuch meldepflichtiger Krankheiten für 2018; 2019
 136. Garrison LE, Kunz JM, Cooley LA, Moore MR, Lucas C, Schrag S, et al. Vital Signs: Deficiencies in Environmental Control Identified in Outbreaks of Legionnaires' Disease - North America, 2000-2014. *MMWR Morb Mortal Wkly Rep*. 2016 Jun 10;65(22):576–584.
 137. Cassini A, Colzani E, Pini A, Mangen MJ, Plass D, McDonald SA, et al. Impact of infectious diseases on population health using incidence-based disability-adjusted life years (DALYs): results from the Burden of Communicable Diseases in Europe study, European Union and European Economic Area countries, 2009 to 2013. *Euro Surveill*. 2018 Apr;23(16).
 138. Exner M, Tuschewitzki GJ, Langer B, Wernicke F, Pleischl S. [Incidence and evaluation of *Legionella* in hospitals and other large buildings]. *Schriftenr Ver Wasser Boden Lufthyg*. 1993;91:105–130.
 139. UBA. Periodische Untersuchung auf Legionellen in zentralen Erwärmanlagen der Hausinstallation nach § 3 Nr. 2 Buchstabe c TrinkwV 2001, aus denen Wasser für die Öffentlichkeit bereit gestellt wird. *Bundesgesundheitsblatt Gesundheitsforsch Gesundheitschutz*. 2006(49):697–700.
 140. KRINKO. Ausbruchmanagement und strukturiertes Vorgehen bei gehäuftem Auftreten nosokomialer Infektionen. *Bundesgesundheitsbl - Gesundheitsforsch - Gesundheitsschutz* 2002;45:180–186.
 141. Exner M, Christiansen B, Flemming et. al. *Pseudomonas aeruginosa* – Plädoyer für die Einführung eines technischen Maßnahmewertes in die Novelle der Trinkwasserverordnung. *HygMed* 2010; 35:370–379.
 142. KRINKO. Anforderungen an die Hygiene bei der medizinischen Versorgung von immunsupprimierten Patienten. *Bundesgesundheitsblatt* 2010, 53: 357-388. DOI: DOI 10.1007/s00103-010-1028-9.
 143. UBA. Empfehlung zu erforderlichen Untersuchungen auf *Pseudomonas aeruginosa*, zur Risikoeinschätzung und zu Maßnahmen beim Nachweis im Trinkwasser. 2017. https://www.umweltbundesamt.de/sites/default/files/medien/374/dokumente/empfehlung_zur_risikoeinschaetzung_pseudomonaden.pdf.
 144. Gjodsbol K, Christensen JJ, Karlsmark T, Jorgensen B, Klein BM, Kroghfelt KA. Multiple bacterial species reside in chronic wounds: a longitudinal study. *Int Wound J*. 2006 Sep;3(3):225–231.
 145. Petitjean M, Martak D, Silvant A, Bertrand X, Valot B, Hocquet D. Genomic characterization of a local epidemic *Pseudomonas aeruginosa* reveals specific features of the widespread clone ST395. *Microb Genom*. 2017 Oct;3(10):e000129.
 146. Abdouchakour F, Aujoulat F, Licznar-Fajardo P, Marchandin H, Toubiana M, Parer S, et al. Intracloonal variations of resistance and phenotype in *Pseudomonas aeruginosa* epidemic

- high-risk clone ST308: A key to success within a hospital? Int J Med Microbiol. 2018 Mar;308(2):279–289.
147. Feuerpfeil I, Rädcl, U., Exner, M. . Coliforme Bakterien im Trinkwasser - Empfehlung zur Risikoabschätzung und Maßnahmen bei systemischer Kontamination – Empfehlung des Umweltbundesamtes nach Anhörung der Trinkwasserkommission des Bundesministeriums für Gesundheit beim Umweltbundesamt. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2009;52:474–482.
 148. Hochman S, Phillips, M. *Acinetobacter* species. In: Bennett AM, Dolin R, Blaser MJ, editor. Principles and Practice of Infectious Diseases ninth ed. Philadelphia: Elsevier; 2020.
 149. Umezawa K, Asai S, Ohshima T, Iwashita H, Ohashi M, Sasaki M, et al. Outbreak of drug-resistant *Acinetobacter baumannii* ST219 caused by oral care using tap water from contaminated hand hygiene sinks as a reservoir. Am J Infect Control. 2015 Nov;43(11):1249–51.
 150. Brown-Elliott BA, Wallace RJ. Infections caused by Nontuberculous Mycobacteria other than *Mycobacterium avium* complex. In: Bennett AM, Dolin, R., Blaser, M.J., editor. Principles and Practice of Infectious Diseases. ninth ed. Philadelphia Elsevier; 2020.
 151. Li T, Abebe LS, Cronk R, Bartram J. A systematic review of waterborne infections from nontuberculous mycobacteria in health care facility water systems. Int J Hyg Environ Health. 2017 May;220(3):611–620.
 152. Haller S, Holler C, Jacobshagen A, Hamouda O, Abu Sin M, Monnet DL, et al. Contamination during production of heater-cooler units by *Mycobacterium chimaera* potential cause for invasive cardiovascular infections: results of an outbreak investigation in Germany, April 2015 to February 2016. Euro Surveill. 2016 Apr 28;21(17).
 153. Hrenovic J, Ivankovic T, Ivekovic D, Repec S, Stipanicev D, Ganjto M. The fate of carbapenem-resistant bacteria in a wastewater treatment plant. Water Res. 2017 Dec 1;126:232–239.
 154. Heudorf U, Kempf, V., Reinheimer, C., Chakraborty, T., Imirzalioglu, T., Schmithausen, R., Exner, M. *Klebsiella pneumoniae* KPC-3 Ausbruch am Universitätsklinikum Frankfurt am Main – Teil II: weitere umwelthygienische Erkenntnisse. Hyg Med 2018;43 (Suppl. DGKH-Kongress):31–32.
 155. Mathers AJ, Vegesana K, German Mesner I, Barry KE, Pannone A, Baumann J, et al. Intensive Care Unit Wastewater Interventions to Prevent Transmission of Multi-species *Klebsiella pneumoniae* Carbapenemase (KPC) Producing Organisms. Clin Infect Dis. 2018 Feb 2.
 156. Schwartz T, Pinnekamp J, Exner M. Verbreitung antibiotikaresistenter Bakterien durch Abwasser: Erste Erkenntnisse aus dem BMBF Verbundprojekt HyReKA. In: Pinnekamp J, editor. Essener Tagung für Wasserwirtschaft „Wasserwirtschaft im Umbruch“. Aachen: Gesellschaft zur Förderung der Siedlungswasserwirtschaft an der TRWTH Aachen e.V.; 2018, Seite 15/1-15/11
 157. Ministerium für Umwelt, Landwirtschaft, Natur- und Verbraucherschutz des Landes Nordrhein-Westfalen. Erlass (Az.: IV-7-094-033-0000) zur regelmäßigen Durchführung von Ringversuchen für den Parameter *Legionella* spp. in belasteten Wässern (Umweltmatrices bzw. Matrices mit erhöhtem analytischen Schwierigkeitsgrad; 2015
 158. Voigt AM, Ciorba P, Döhla M, Exner M, Felder C, Lenz-Plet F, Sib E, Skutlarek D, Schmithausen RM, Färber HA. The investigation of antibiotic residues, antibiotic resistance genes and antibiotic resistant organisms in a drinking water reservoir system in Germany. Int. J. Hyg. Envir. Heal. 2020; 224: 113449. DOI: <https://doi.org/10.1016/j.ijheh.2020.113449>
 159. European Center for Disease Prevention and Control (ECDC). Annual Epidemiological Report for 2016. Legionnaires' disease. <https://www.ecdc.europa.eu/sites/default/files/documents/legionnaires-disease-annual-epidemiological-report.pdf>
 160. Voigt AM, Zacharias N, Timm C, Wasser F, Sib E, Skutlarek D, Parcina M, Schmithausen RM, Schwartz T, Hembach N, Tiehm A, Stange C, Engelhart S, Bierbaum G, Kistemann T, Exner M, Faerber HA, Schreiber C. Association between antibiotic residues, antibiotic resistant bacteria and antibiotic resistance genes in anthropogenic wastewater – An evaluation of clinical influences. Chemosphere 2020; 241:125032. DOI:10.1016/j.chemosphere.2019.125032